

The Efficacy of PRP, Bone Marrow Aspirate Concentrate and Mesenchymal Stem Cells in the Hip Joint

Hajime Utsunomiya MD PhD

Steadman Philippon Research Institute

I CHARACTERISTICS of PRP / BMAC / MSCs [1]

II PLATELET RICH PLASMA (PRP) in HIP JOINT

II-1. PRP Injection for Hip Osteoarthritis [2-6]

II-2. PRP Injection Just After Hip Arthroscopy [7-9]

II-3. PRP for Avascular Necrosis of Femoral Head [10] [11]

III BONE MARROW ASPIRATE CONCENTRATE (BMAC) in HIP JOINT

III-1. BMAC for Avascular Necrosis of Femoral Head [12]

III-2. BMAC in Clinical Use [13]

IV MESENCHYMAL STEM CELLS (MSCs) in HIP JOINT

IV-1. Adipose MSCs for Avascular Necrosis / Osteoarthritis [14-16]

IV-2. Bone Marrow MSCs for Avascular Necrosis [17-23]

V FUTURE DIRECTIONS

V-1. Custom-Made PRP [24-26]

V-2. PRP with Blocking Agents [27-30]

[References]

1. Chahla, J., et al., *Biological Therapies for Cartilage Lesions in the Hip: A New Horizon*. Orthopedics, 2016. 39(4): p. e715-23.
2. Battaglia, M., et al., *Platelet-rich plasma (PRP) intra-articular ultrasound-guided injections as a possible treatment for hip osteoarthritis: a pilot study*. Clin Exp Rheumatol, 2011. 29(4): p. 754.
3. Battaglia, M., et al., *Efficacy of ultrasound-guided intra-articular injections of platelet-rich plasma versus hyaluronic acid for hip osteoarthritis*. Orthopedics, 2013. 36(12): p. e1501-8.
4. Dallari, D., et al., *Ultrasound-Guided Injection of Platelet-Rich Plasma and Hyaluronic Acid, Separately and in Combination, for Hip Osteoarthritis: A Randomized Controlled Study*. Am J Sports Med, 2016. 44(3): p. 664-71.
5. Medina-Porqueres, I. and P. Alvarez-Juarez, *The Efficacy of Platelet-Rich Plasma Injection in the Management of Hip Osteoarthritis: A Systematic Review Protocol*. Musculoskeletal Care, 2016. 14(2): p. 121-5.
6. Sanchez, M., et al., *Ultrasound-guided platelet-rich plasma injections for the treatment of osteoarthritis of the hip*. Rheumatology (Oxford), 2012. 51(1): p. 144-50.
7. LaFrance, R., et al., *The effect of platelet enriched plasma on clinical outcomes in patients with femoroacetabular impingement following arthroscopic labral repair and femoral neck osteoplasty*. J Hip Preserv Surg, 2015. 2(2): p. 158-63.
8. Rafols, C., et al., *Platelet-Rich Plasma Augmentation of Arthroscopic Hip Surgery for Femoroacetabular Impingement: A Prospective Study With 24-Month Follow-up*. Arthroscopy, 2015. 31(10): p. 1886-92.
9. Redmond, J.M., et al., *Clinical results of hip arthroscopy for labral tears: a comparison between intraoperative platelet-rich plasma and bupivacaine injection*. Arthroscopy, 2015. 31(3): p. 445-53.
10. Ibrahim, V. and H. Dowling, *Platelet-rich plasma as a nonsurgical treatment option for osteonecrosis*. Pm r, 2012. 4(12): p. 1015-9.

11. Guadilla, J., et al., *Arthroscopic management and platelet-rich plasma therapy for avascular necrosis of the hip*. *Knee Surg Sports Traumatol Arthrosc*, 2012. 20(2): p. 393-8.
12. Martin, J.R., M.T. Houdek, and R.J. Sierra, *Use of concentrated bone marrow aspirate and platelet rich plasma during minimally invasive decompression of the femoral head in the treatment of osteonecrosis*. *Croat Med J*, 2013. 54(3): p. 219-24.
13. Campbell, K.J., et al., *Treatment of a hip capsular injury in a professional soccer player with platelet-rich plasma and bone marrow aspirate concentrate therapy*. *Knee Surg Sports Traumatol Arthrosc*, 2013. 21(7): p. 1684-8.
14. Pak, J., *Regeneration of human bones in hip osteonecrosis and human cartilage in knee osteoarthritis with autologous adipose-tissue-derived stem cells: a case series*. *J Med Case Rep*, 2011. 5: p. 296.
15. Pak, J., *Autologous adipose tissue-derived stem cells induce persistent bone-like tissue in osteonecrotic femoral heads*. *Pain Physician*, 2012. 15(1): p. 75-85.
16. Pak, J., et al., *Complete resolution of avascular necrosis of the human femoral head treated with adipose tissue-derived stem cells and platelet-rich plasma*. *J Int Med Res*, 2014. 42(6): p. 1353-62.
17. Gangji, V., et al., *Treatment of osteonecrosis of the femoral head with implantation of autologous bone-marrow cells. A pilot study*. *J Bone Joint Surg Am*, 2004. 86-a(6): p. 1153-60.
18. Hernigou, P., et al., *Stem Cell Therapy for the Treatment of Hip Osteonecrosis: A 30-Year Review of Progress*. *Clin Orthop Surg*, 2016. 8(1): p. 1-8.
19. Moya-Angeler, J., et al., *Current concepts on osteonecrosis of the femoral head*. *World J Orthop*, 2015. 6(8): p. 590-601.
20. Papakostidis, C., et al., *The role of "cell therapy" in osteonecrosis of the femoral head. A systematic review of the literature and meta-analysis of 7 studies*. *Acta Orthop*, 2016. 87(1): p. 72-8.
21. Persiani, P., et al., *Stage-related results in treatment of hip osteonecrosis with core-decompression and autologous mesenchymal*

- stem cells*. Acta Orthop Belg, 2015. 81(3): p. 406-12.
22. Tabatabaee, R.M., et al., *Combining Concentrated Autologous Bone Marrow Stem Cells Injection With Core Decompression Improves Outcome for Patients with Early-Stage Osteonecrosis of the Femoral Head: A Comparative Study*. J Arthroplasty, 2015. 30(9 Suppl): p. 11-5.
 23. Yamasaki, T., et al., *Bone-marrow-derived mononuclear cells with a porous hydroxyapatite scaffold for the treatment of osteonecrosis of the femoral head: a preliminary study*. J Bone Joint Surg Br, 2010. 92(3): p. 337-41.
 24. Amable, P.R., et al., *Platelet-rich plasma preparation for regenerative medicine: optimization and quantification of cytokines and growth factors*. Stem Cell Res Ther, 2013. 4(3): p. 67.
 25. Mussano, F., et al., *Cytokine, chemokine, and growth factor profile of platelet-rich plasma*. Platelets, 2016. 27(5): p. 467-71.
 26. Sundman, E.A., B.J. Cole, and L.A. Fortier, *Growth factor and catabolic cytokine concentrations are influenced by the cellular composition of platelet-rich plasma*. Am J Sports Med, 2011. 39(10): p. 2135-40.
 27. Mifune, Y., et al., *The effect of platelet-rich plasma on the regenerative therapy of muscle derived stem cells for articular cartilage repair*. Osteoarthritis Cartilage, 2013. 21(1): p. 175-85.
 28. Nishimori, M., et al., *Role of angiogenesis after muscle derived stem cell transplantation in injured medial collateral ligament*. J Orthop Res, 2012. 30(4): p. 627-33.
 29. Takayama, K., et al., *The effect of blocking angiogenesis on anterior cruciate ligament healing following stem cell transplantation*. Biomaterials, 2015. 60: p. 9-19.
 30. Terada, S., et al., *Use of an antifibrotic agent improves the effect of platelet-rich plasma on muscle healing after injury*. J Bone Joint Surg Am, 2013. 95(11): p. 980-8.